Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP PROFESSIONAL HEAVY-DUTY CONCRETE AND MASONRY FLOOR CLEANER
Material number	:	0000000001041621
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	liquid
Colour	red, clear
Odour	characteristic

#### **GHS** Classification

Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT</li> </ul>

Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023
	induce vomiting.	
	P303 + P361 + P353 IF ON SKIN	N (or hair): Take off
	immediately all contaminated clo	thing. Rinse skin with
	water/shower.	0
	P304 + P340 + P310 IF INHALEI	D: Remove person to fresh air
	and keep comfortable for breathin	
	POISON CENTER/doctor.	

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Hazardous components

CAS-No.	Concentration [%]
112-34-5	>= 5 - < 10
1310-73-2	>= 1 - < 5
68439-46-3	>= 1 - < 5
1300-72-7	>= 1 - < 5
	112-34-5           1310-73-2           68439-46-3

The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.

Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023
In case of eye contact	: Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of wa for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s	ater, also under the eyelids,
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless di physician or poison control center. Never give anything by mouth to ar If symptoms persist, call a physicia Take victim immediately to hospital	n unconscious person. n.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are dependent on exposure contact time).</li> <li>Effects are immediate and delayed Symptoms may include blistering, i Causes severe skin burns and eye Review section 2 of SDS to see all</li> </ul>	rritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 3.0

Revision Date 06/20/2023

Print Date 08/02/2023

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Do not store near acids. Store and keep away from bases and alkalies.
Storage temperature	: 5 - 40 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH

rsion 3.0	Revi	sion Date 06/20/20	23 P	Print Date 08/02/2023	
	_	С	2 mg/m3	NIOSH REL	
		TWA	2 mg/m3	OSHA Z-1	
		C	2 mg/m3	OSHA PO	
		С	2 mg/m3	CAL PEL	
Engineering measures	: effec	tive ventilation in al	I processing areas		
Personal protective equipr	nent				
Respiratory protection	ventil	respiratory protection ation is provided of exposures are within	· exposure assessr	ment demonstrates	
Hand protection Material Remarks	: The	ective gloves suitability for a spec the producers of the		uld be discussed	
Eye protection	the v Tight Wea	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.			
Skin and body protection	Choc	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Hygiene measures	Whe	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: red, clear
Odour	: characteristic
Odour Threshold	: No data available
рН	: 13 - 14
Melting point/freezing point	: No data available
Boiling point	: 104.44 °C
Flash point	: >100 °C
Evaporation rate	: 1
Upper explosion limit	: No data available

Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1.060 g/cm3	
Solubility(ies)		
Water solubility	: soluble in cold water, soluble in ho	ot water
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 5.5 mm2/s (20 °C)	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: Acids Metals Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Sulphur oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain.

FLOUR GLEAINER		
Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023
	Causes severe skin burns and eye Review section 2 of SDS to see all Treat symptomatically. Symptoms	potential hazards.
Carcinogenicity:		
IARC	No component of this product present	
ACGIH	equal to 0.1% is identified as probable human carcinogen by IARC. No component of this product present equal to 0.1% is identified as a carcing	at levels greater than or
OSHA	carcinogen by ACGIH. No component of this product present	at levels greater than or
	equal to 0.1% is on OSHA's list of reg	ulated carcinogens.
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg Method: Calculation method	g/kg
Components:		
<b>sodium hydroxide:</b> Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,35	0 mg/kg
Alcohols, C9-11, ethoxyla Acute oral toxicity	ted: : LD50 Oral Rat: 1,400 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corros	ive and destructive to tissue.	
Serious eye damage/eye irrita	tion	
Product:		
Remarks: May cause irreve	rsible eye damage.	
Respiratory or skin sensitisation	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		

Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### Further information

### Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

<u>Components:</u> sodium hydroxide :		
Toxicity to fish	.C50 (Gambusia affinis (Mosquito fish Exposure time: 96 h Fest Method: static test	ו)): 125 mg/l
	LC50 (Oncorhynchus tshawytscha (ch 52 mg/l Exposure time: 96 h	ninook salmon)):
	C50 (Oncorhynchus mykiss (rainbow Exposure time: 48 h	/ trout)): 40 mg/l
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 5 Exposure time: 48 h	34 - 47 mg/l
	EC50 (Crangon crangon (shrimp)): 33 Exposure time: 48 h	s - 100 mg/l
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	Remarks: No data available	

Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023
<u>Components:</u> 2-(2-butoxyethoxy)ethanol: Partition coefficient: n- octanol/water	: Pow: 1	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation Remarks	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	tion 602 Class I or was manufactured s defined by the U.S.
Additional ecological information	: No data available	
<u>Components:</u> sodium hydroxide : Additional ecological information	: Harmful to aquatic life.	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Version 3.0

Revision Date 06/20/2023

Print Date 08/02/2023

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA** list : No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation	
SARA 302	<ul> <li>No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.</li> </ul>	
SARA 313	<ul> <li>The following components are subject to reporting levels established by SARA Title III, Section 313: 2-(2-butoxyethoxy)ethanol</li> <li>112-34-5</li> <li>0.0059 %</li> </ul>	
California Prop. 65		
	WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of	



California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Version 3.0

Revision Date 06/20/2023

Print Date 08/02/2023

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

#### SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	3
FLAMMABILITY	1
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

Version 3.0	Revision Date 06/20/2023	Print Date 08/02/2023
Hazard pictograms		
Signal w ord Hazard statements Precautionary statements	Corrosion Corrosion Courses Co	uce vomiting. IF ON SKIN (or use skin w ith w ater/shower. IF table for breathing. Immediately tiously w ith w ater for several do. Continue rinsing.
	Disposal: Dispose of contents/container in accordance	with local regulation.

Version:	3.0
Revision Date:	06/20/2023
Print Date:	08/02/2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.