# Valvoline, Market Global

# **SAFETY DATA SHEET**

Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

#### **SECTION 1. IDENTIFICATION**

Product name : Valvoline™ Full Synthetic DEXRON VI and MERCON LV

Automatic Transmission Fluid

Product code : 822405

Manufacturer or supplier's details

Company name of supplier : Valvoline Global Operations

Address : 100 Valvoline Way

Lexington, KY 40509

United States of America (USA)

Telephone : 1-800-TEAMVAL (1-800-832-6825)

E-mail address : SDS@valvolineglobal.com

Emergency telephone

number

: +1-800-VALVOLINE (+1-800-825-8654)

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)
DISTILLATES (PETROLEUM),	64742-54-7	>= 40 - < 50
HYDROTREATED HEAVY		
PARAFFINIC		
HYDROTREATED LIGHT	64742-55-8	>= 30 - < 40
PARAFFINIC DISTILLATE		
DISTILLATES (PETROLEUM),	Not Assigned	>= 5 - < 10



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

HYDROTREATED HEAVY PARAFFINIC		
METHACRYLATE COPOLYMER	Not Assigned	>= 1.5 - < 5
HYDROTREATED LIGHT	64742-55-8	>= 1 - < 1.5
PARAFFINIC DISTILLATE		

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

Do not leave the victim unattended. General advice

If inhaled If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

Keep respiratory tract clear. If swallowed

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

No symptoms known or expected.

delaved

Notes to physician

Treat symptomatically.

No hazards which require special first aid measures.

#### **SECTION 5. FIREFIGHTING MEASURES**

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

carbon dioxide and carbon monoxide

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Environmental precautions Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# **V**alvoline... Global

# SAFETY DATA SHEET

Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

Methods and materials for containment and cleaning up Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

For personal protection see section 8. Advice on safe handling

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

: No decomposition if stored and applied as directed.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	ACGIH



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

		(Inhalable particulate matter)		
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

# Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : Safety glasses Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : red

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point :  $> 356 \, ^{\circ}\text{F} \, / > 180 \, ^{\circ}\text{C}$ 

Method: Cleveland open cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper : 6 %(V)

flammability limit GLP: Calculated Explosive Limit

# Valvoline<sub>m</sub> Global

# SAFETY DATA SHEET

Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

Lower explosion limit / Lower

flammability limit

1 %(V)

GLP: Calculated Explosive Limit

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.846 g/cm3 (60.01 °F / 15.56 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 29.5 mm2/s (104 °F / 40 °C)

Oxidizing properties : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous : Stable under recommended storage conditions.

reactions

No hazards to be specially mentioned.

Conditions to avoid : excessive heat

Incompatible materials : Strong oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

#### **Components:**

#### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

#### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Assessment : Slight, transient irritation Result : Slight, transient irritation

# **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Assessment : Slight, transient irritation Result : Slight, transient irritation

#### **METHACRYLATE COPOLYMER:**

Result : No skin irritation

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Assessment : Slight, transient irritation Result : Slight, transient irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

## **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Result : No eye irritation Assessment : No eye irritation

# DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Result : Slight, transient irritation
Assessment : Slight, transient irritation

#### **METHACRYLATE COPOLYMER:**

Result : Irritating to eyes.



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Result : Slight, transient irritation Assessment : Slight, transient irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Components:

#### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

## DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### Components:

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

May be fatal if swallowed and enters airways.

#### **Further information**

**Product:** 

Remarks : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Product:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life

with long lasting effects.

#### **Components:**

#### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

# **Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

# Valvoline, Market Global

# **SAFETY DATA SHEET**

Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

## DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

#### **METHACRYLATE COPOLYMER:**

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity: Not classified based on available information.

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

#### Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

3).



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

Additional ecological information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

64742-54-7

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY

#### **US State Regulations**

# Massachusetts Right To Know

HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8

#### Pennsylvania Right To Know

PARAFFINIC	
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY	Not Assigned
PARAFFINIC	

HYDROTREATED LIGHT PARAFFINIC DISTILLATE 64742-55-8

#### Maine Chemicals of High Concern

Reaction products of Benzeneamine, N-phenyl- with nonene	36878-20-3
(branched)	
ETHYL BENZENE	100-41-4
TOLUENE	108-88-3
BENZENE	71-43-2
NAPHTHALENE	91-20-3

#### **Vermont Chemicals of High Concern**

Reaction products of Benzeneamine, N-phenyl- with nonene 36878-20-3



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

36878-20-3

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

 (branched)
 ETHYLENE GLYCOL
 107-21-1

 ETHYL BENZENE
 100-41-4

 TOLUENE
 108-88-3

 BENZENE
 71-43-2

 NAPHTHALENE
 91-20-3

 1,4-DIOXANE
 123-91-1

#### **Washington Chemicals of High Concern**

 (branched)

 ETHYLENE GLYCOL
 107-21-1

 ETHYL BENZENE
 100-41-4

 TOLUENE
 108-88-3

 BENZENE
 71-43-2

 NAPHTHALENE
 91-20-3

 1,4-DIOXANE
 123-91-1

Reaction products of Benzeneamine, N-phenyl- with nonene

#### **California List of Hazardous Substances**

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY
PARAFFINIC
HYDROTREATED LIGHT PARAFFINIC DISTILLATE
64742-55-8
HYDROTREATED LIGHT PARAFFINIC DISTILLATE
64742-55-8

#### **California Permissible Exposure Limits for Chemical Contaminants**

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY 64742-54-7

**PARAFFINIC** 

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY Not Assigned

PARAFFINIC

#### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : Not in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

# Valvoline<sub>™</sub> Global

# **SAFETY DATA SHEET**

Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

TECI: Not in compliance with the inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


#### **Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/19/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is



Valvoline™ Full Synthetic DEXRON VI and MERCON LV Automatic Transmission Fluid

Version: 2.0 Revision Date: 06/19/2023 Print Date: 11/27/2024

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Internal information: R0412087